

[for *The Self-Organizing Universe: Cosmology, Biology, and the Rise of Complexity*,
edited by Lineweaver, Davies and Ruse, Cambridge University Press, 2012]

Using Complexity Science to Search for Unity in the Natural Sciences

Eric J. Chaisson

Harvard-Smithsonian Center for Astrophysics
Harvard University, Cambridge, Massachusetts 02138 USA
www.cfa.harvard.edu/~ejchaisson

Introduction

Nature writ large is a mess. Yet, underlying unities pervade the long and storied, albeit meandering, path from the early Universe to civilization on Earth. Evolution is one of those unifiers, incorporating physical, biological, and cultural changes within a broad and inclusive cosmic-evolutionary scenario. Complexity is another such unifier, delineating the growth of structure, function, and diversity within and among galaxies, stars, planets, life, and society throughout natural history. This brief essay summarizes a research agenda now underway not only to search for unity in Nature but also, potentially and more fundamentally, to quantify both unceasing evolution and increasing complexity by modeling energy, whose flows through non-equilibrium systems arguably grant opportunities for evolution to create even more complexity.

Cosmic Evolution

Truth be told, I am a phenomenologist—neither a theorist studying Nature from first principles (I'm not smart enough) nor an experimentalist actually measuring things (although I used to). My current philosophy of approach aims to observe and characterize Nature thermodynamically, seeking to explicate a scientific worldview that chronicles systematically and sequentially the many varied changes that have occurred from the big bang to humankind on Earth. I call that epic worldview cosmic evolution.

A suggested definition: Cosmic evolution is a grand synthesis of all developmental and generational changes in the assembly and composition of radiation, matter, and life throughout the history of the Universe.

The scientific interdisciplinary of cosmic evolution as a general study of change is not new; its essence harks back at least 25 centuries to when the philosopher Heraclitus arguably made the best observation ever while noting that “everything flows . . . nothing stays.” This remarkably simple idea is now confirmed by modern scientific reasoning and much supporting data. I have recently reviewed the status of attempts to undergird the eclectic, integrated scenario of cosmic evolution with quantitative analyses, thereby advancing the topic from subjective colloquy to objective empiricism (Chaisson 2009a, 2009b).

Academic colleagues often quip that history is “just one damn thing after another,” implying that natural history, which goes all the way back in time, comprises myriad and diverse, yet unrelated events. By contrast, I have always regarded natural history expansively and seamlessly as a long and continuous narrative not only incorporating the origin and evolution of a wide spectrum of ordered structures, but also connecting many of them within an overarching framework of understanding. In short, my scientific scholarship firmly roots my work in empirical research, mines data from a wealth of observations across all of space and time, and portrays natural history as an intellectually powerful story that unifies much of what is known about Nature.

Although guiding changes within and among complex systems, evolution itself need not be a complex process. Nor does evolution, as an erratic, rambling activity that is unceasing, uncaring, and unpredictable likely pertain only to life forms. Cosmic evolution extends the central idea of evolution—ascend with modification, generally considered—to embrace all structured systems.

And by merging physical, biological, and cultural evolution into a single, intensive paradigm based on everlasting change, cosmic evolution evokes a Platonic ideal that the changing, shifting world of natural phenomena and realistic objects masks a deeper, underlying reality of unchanging forms and processes, and that it is these alone that grant true knowledge.

Energy Rate Density

All complex systems—whether living or not—are open, organized, non-equilibrated structures that acquire, store, and express energy. This article's single goal reiterates and amplifies a previously proposed hypothesis (Chaisson 2001) that specific energy flow constitutes a complexity metric and potential evolutionary driver for all constructive events from the origin of the Universe to humans on Earth, as well as for future evolutionary events yet to occur. Energy does seem to be a common currency among such ordered structures; energy flow may well be the most unifying process in science, helping to provide a cogent explanation for the onset, existence, and complexification of a whole array of systems—notably, how they emerge, mature, and terminate during individual lifetimes as well as across multiple generations.

Energy is not likely the only useful metric to measure complexity in complex, evolving systems. Nor do I mean to be critical of alternative schemes, such as information content or entropy production; the literature is replete with controversial claims for such measures, many of them asserted with dogmatic confidence. I have earlier published brief critiques that these and related alternates are unhelpful for general complexity metrics, their use often narrow, qualitative, and equivocal (Chaisson 2001). By contrast, I have embraced the concept of energy largely because I can define it, measure it, and clearly express its units. I have furthermore endeavored to quantify this decidedly thermodynamic concept in a reliable and consistent manner for a full spectrum of organized systems from spiral galaxies and fusing stars to buzzing bees and redwood trees, indeed to sentient humans and our technological society.

The chosen metric, however, can be neither energy alone, nor even merely energy flow. Life on Earth is surely more complex than any star or galaxy, yet the latter engage vastly more energy than anything now alive on our planet. Accordingly, I have sought to normalize energy flows in complex systems by their inherent mass, thereby enabling more uniform analysis while allowing effective comparison between and among virtually every kind of system encountered in Nature. This, then, has been and continues to be my working hypothesis: Mass-normalized energy flow, termed energy rate density and denoted by Φ_m , is potentially the most universal process capable of building structures, evolving systems, and creating complexity throughout the Universe.

A suggested definition: *Energy rate density is the amount of free energy thermodynamically flowing through a system per unit time and per unit mass.*

Figure 1 summarizes much recent research on this subject, depicting how physical, biological, and cultural evolution over ~14 Gy has transformed homogeneous, primordial matter into increasingly intricate systems (Chaisson 2011a, 2011b). The many graphs show the rise in values of Φ_m computed for selected systems extant in Nature and of known scientific age. (For specific power units of W/kg, divide by 10^4 .) Values given are typical for the general category to which each system belongs, yet as in any simple, unifying explication of an imperfect Universe—especially one like cosmic evolution that aspires to address all of Nature—there are variations. And it is likely that from those variations arose the great diversity among complex, evolving systems everywhere.

Better metrics than energy rate density may well describe each of the individual systems within the realms of physical, biological, and cultural evolution that combine to create the greater whole of cosmic evolution, but no other single metric seems capable of uniformly describing them all. The significance of plotting “on the same page” a single quantity for such a wide range of systems observed in Nature should not be overlooked. I am unaware of any other sole quantity that can characterize so extensively a principal system dynamic over >20 orders of magnitude in spatial dimension and nearly as many in time.

What seems inherently attractive is that energy flow as a universal process helps suppress entropy within increasingly ordered, localized systems evolving amidst increasingly disordered, surrounding environments, indeed a process that arguably governed the emergence and maturity of our galaxy, our star, our planet, and ourselves. If correct, energy itself is a central mechanism of change. And energy rate density is an unambiguous, weighted measure of energy flow enabling us to gauge all complex systems in like manner, as well as to examine how over the course of time some systems were able to command energy and survive, while others apparently could not and did not.




Figure 1: These 7 graphs show changing values of energy rate density, Φ_m , for myriad systems observed throughout Nature. The main graph at left traces Φ_m for a variety of open, organized, non-equilibrium systems extending from big bang to humankind. Plotted semi-logarithmically at the time of each system's origin, Φ_m displays a clear increase during the ~14 Gy history of the Universe. The shaded area includes a huge ensemble of changing Φ_m values as individual systems evolved and complexified. The dashed ovals outline the range in Φ_m and time bracketing each of the physical, biological, and cultural systems graphed at right. Rationale for the main plot at left can be found in Chaisson (2001); data for all the plots at right are from Chaisson (2011a, 2011b). Exceptions, outliers, "black swans," or whatever one wants to call those data points that inevitably deviate from the norm, are occasionally evident. The Φ_m values and historical dates plotted here are estimates, each with ranges and uncertainties; yet it is not their absolute magnitudes and specific quantities that matter most as much as their perceived trend with the march of time.

Complexity Quantified

Cosmic evolution is not a theory of everything, nor even necessarily a universal theory of evolution; it is, rather, a collection of evolutionary phases—from rudimentary alteration of physical systems, to Darwinian modification of life forms, to Lamarckian reshaping of cultured society—all consistently and fundamentally characterized, at least in part, by mass-normalized energy flow. All complex systems, samples of which are diagnosed below (*cf.*, Chaisson 2011a, 2011b), interact with their environments as matter and energy flow in while wastes flow out, adapt to changing circumstances, and resemble metabolisms at work on many scales. These findings strengthen the time-honored idea that elegantly simple processes underlie the tangled complexity of our richly endowed Universe.

A suggested definition: *Complexity is a state of intricacy, complication, variety or involvement, as in the interconnected parts of a system—a quality of having many different, interacting components.*

Physical Evolution: Stars and galaxies among physical systems generally have energy rate densities that are among the lowest of known organized systems. The latter, including those of dwarf, normal, and active galaxies, display $\Phi_m = 0.01\text{-}50$ erg/s/g, each type showing clear temporal trends in rising values of Φ_m while clustering hierarchically, as herewith computed for our Milky Way Galaxy:

- from protogalactic blobs >12 Gya ($\Phi_m \approx 10^{-3}$ erg/s/g)
- to widespread dwarf galaxies ($\sim 10^{-2}$)
- to mature, normal status ~ 10 Gya (~ 0.05)
- to our galaxy's current state (~ 0.1).

Although of lesser complexity and longer duration, the Milky Way is nearly as adaptive and metabolic as any life form—transacting energy while forming new stars, cannibalizing dwarf galaxies, and dissolving older components. Stars, too, adjust their states while evolving during one or more generations, their Φ_m values rising while they complexify with time. Stellar interiors undergo cycles of nuclear fusion that foster greater thermal and chemical gradients, resulting in increasingly differentiated layers of heavy elements within highly evolved stars. Stellar size, color, brightness, and composition all change while slowly altering the structure of every star, including the Sun, which will eventually be selected out of the population of neighboring stars:

- from early protostar ~ 5 Gya ($\Phi_m \approx 1$ erg/s/g)
- to the main-sequence Sun currently (~ 2)
- to subgiant status ~ 6 Gy in the future (~ 4)
- to aged red-giant near termination ($\sim 10^2$).

At least as regards energy flow, material resources, and structural integrity while experiencing change, adaptation, and selection, stars have much in common with life. This is not to say that stars are alive, nor that stars evolve in the strict and limited biological sense; most researchers would agree that stars and galaxies develop—as evidenced by systematically rising Φ_m values.

Biological Evolution: In turn, plants and animals among biological systems regularly exhibit intermediate values of $\Phi_m = 10^{3-5}$ erg/s/g. Life does seem to operate optimally within certain limits of temperature, pressure, salinity, *etc.*, and not surprisingly also has an optimal range of normalized energy flow. For plant life on Earth, energy rate densities are well higher than those for galaxies, stars, and planets, as perhaps best illustrated by the evolution of the most dominant process in Earth's biosphere—photosynthesis:

- from microscopic protists >470 Mya ($\Phi_m \approx 10^3$ erg/s/g)
- to gymnosperms ~ 350 Mya ($\sim 5 \times 10^3$)
- to angiosperms ~ 125 Mya ($\sim 7 \times 10^3$)
- to highly efficient C_4 plants ~ 30 Mya ($\sim 10^4$).

Onward across the bush of life (or the arrow of time)—cells, tissues, organs, organisms—much the same metric holds for animals while evolving and complexifying. For adult bodies (much as

for brains, which have an order of magnitude larger Φ_m), the temporal trend of rising Φ_m continues:

- from fish and amphibians 370-500 Mya ($\Phi_m \approx 4 \times 10^3$)
- to cold-blooded reptiles ~320 Mya ($\sim 3 \times 10^3$)
- to warm-blooded mammals ~200 Mya ($\sim 4 \times 10^4$)
- to birds in flight ~125 Mya ($\sim 9 \times 10^4$).

Here, system functionality and genetic inheritance, two factors above and beyond mere system structure, help to enhance complexity among animate systems that are clearly living compared to inanimate systems that are clearly not. In either case, energy is fuel for change, apparently (and partly) selecting systems able to utilize increased power densities, while driving others to destruction and extinction—all in accord with neo-Darwinism's widely accepted modern synthesis.

A suggested definition: Life is an open, coherent, spacetime structure kept far from thermodynamic equilibrium by a flow of energy through it—a carbon-based system operating in a water-based medium, with higher forms metabolizing oxygen.

Cultural Evolution: Among cultural systems, advances in technology compare to those of society itself, each of them energy-rich and with $\Phi_m \geq 10^5$ erg/s/g—hence plausibly the most complex systems known. Social progress can be tracked, again in terms of energy consumption, for a variety of human-related cultural advances among our human ancestors:

- from hunter-gatherers ~300 kya ($\Phi_m \approx 4 \times 10^4$ erg/s/g)
- to agriculturists ~10 kya ($\sim 10^5$)
- to industrialists ~200 ya ($\sim 5 \times 10^5$)
- to technologists of today ($\sim 2 \times 10^6$).

Machines, too, and not just computers, but also ordinary motors and engines that typified the fast-paced economy of the 20th century, can be cast in evolutionary terms—though here the mechanism is less Darwinian than Lamarckian, with the latter's emphasis on accumulation of acquired traits. Either way, energy remains a driver, and with rapidly accelerating pace:

- from primitive machines ~150 ya ($\Phi_m \approx 10^5$ erg/s/g)
- to the invention of automobiles of ~100 ya ($\sim 10^6$)
- to the development of airplanes ~50 ya ($\sim 10^7$)
- to computerized jet aircraft of today ($\sim 5 \times 10^7$).

The road to our present technological society was doubtlessly built with increased energy density used, or per capita energy expended. Increasingly sophisticated technical gadgets, under the Lamarckian pressure of dealer competition and customer selection, do in fact show increases in Φ_m values with product improvement over the years. The cultural evolution of many silicon-based devices now central to our global economy can likewise be traced and their rising Φ_m values computed, the two—evolution and complexity—paralleling each other once again.

Summary

Complexity science is less empirical and encompassing than many practitioners admit. Traditionally, this subject probes diverse collections of distinct topics, such as cells, ants, economies, and networks, while often appealing to information theory to decipher general principles of mostly biological and social systems that display emergent and adaptive qualities. Such efforts have garnered limited success and an unusual amount of controversy for such a promising new field. Although yielding insightful properties of systems unlikely to be understood by reductionism alone, the real promise of complexity science remains as elusive as when it first arose a generation ago.

This essay proffers a different strategy. It goes beyond mere words, indeed beyond specialized disciplines, in an attempt to explore widely, deeply, and phenomenologically a process that might characterize complexity quantitatively across many scientific domains. I have explored a great array of systems, sought commonalities among them all, and examined a single, uniform metric that arguably quantifies changes toward increased complexity. The result is an

expansive evolutionary scenario covering the known history of time to date yet one revealing strong similarities among systems as disparate as stars, life, and society.

Cosmic evolution is more than a subjective, qualitative narration of one unrelated event after another. This inclusive scientific worldview comprises an objective, quantitative approach toward knowing much of what comprises material Nature. It addresses the coupled topics of system change and complexity—the temporal advance of the former having apparently led to spatial growth of the latter, yet the latter feeding back to make the former increasingly productive. And it demonstrates that the basic differences, both within and among all the many varied complex systems, are of degree, not of kind. All things considered, I conclude the following:

- Evolution is a universal phenomenon; including changes in physical, biological, and cultural systems, evolution is a unifying principle throughout natural science.
- Energy is a common currency; energy rate density (Φ_m) generally correlates with system complexity and may drive, at least in part, the process of evolution itself.
- Selection and adaptation are ubiquitous; the emergence, maintenance, and fate of complex systems are often determined, again partly, by their ability to utilize energy.

Physicists tend to notice large trends and general patterns in Nature, often seeking grand unifications or at least global explanations based on few and simple principles. Biologists, by contrast, concentrate on minute details and intricate mechanisms, often noting quite rightly rare abnormalities in the sweeping generalities. Such dual attitudes perhaps signal the true value of this coarse-grained, phenomenological approach, for only when the devilish details are reconciled with the bigger picture will we be able to call it a “complexity science” that synthesizes both for coherent understanding of ourselves, our world, and our Universe.

References

1. Chaisson, E.J., “Cosmic Evolution—State of the Science,” in *Cosmos & Culture*, S. Dick and M. Lupisella (eds.), NASA Press, Washington, 2009a.
2. -----, “Exobiology and Complexity,” a review article in *Encyclopedia of Complexity and Systems Science*, R. Meyers (ed.), Springer, Berlin, 2009b.
3. -----, *Cosmic Evolution: The Rise of Complexity in Nature*, Harvard University Press, Cambridge, London, 2001.
4. -----, “Energy Rate Density as a Complexity Metric and Evolutionary Driver,” *Complexity*, v16, pp27-40, 2011a; DOI: 10.1002/cplx.20323
5. -----, “Energy Rate Density II: Probing Further a New Complexity Metric,” *Complexity*, v17, pp44-63, 2011b; DOI: 10.1002/cplx.20373)